


Growing, Growing, Growing: Investigation 1

Chen, the secretary of the Student Government Association, is making ballots for tonight's meeting. He starts by cutting a sheet of paper in half. He then stacks the two pieces and cuts them in half. He stacks the resulting four pieces and cuts them in half. He repeats this process, creating smaller and smaller pieces of paper.





After each cut, Chen counts the ballots and records the results in a table.

Number of Cuts	Number of Ballots
0	1
1	2
2	4
3	
4	

Chen wants to predict the number of ballots after any number of cuts.

1. Predict how many ballots will result from 3 cuts.

2. Predict how many ballots will result from 4 cuts. _____

- 3. Predict how many ballots will result from 10 cuts.
- 4. Complete the **2nd column** in the table to show the number of ballots after each of the cuts.

Number of Cuts (n)	Number of Ballots (b)	Calculations for Number of Ballots (b)	Shortcut Form for Number of Ballots using Exponents (b)
0	1	1	
1	2	[1] · 2	
2	4	[1 · 2] · 2	
3	8	[1 · 2 · 2] · 2	
4			
5			
6			
7			
8			
9			
10			

5. How did you find your entries in the table?_____

6. Fully complete the table above.

7. What is the relationship between the number of cuts and the number of ballots? (In other words, how can you use the number of cuts to figure out the number of ballots?)

8. Write a rule (equation) to explain the relationship between of the number of cuts (*n*) and the number of ballots (*b*).

9. Use your rule (equation) to determine how many ballots Chen would have if he made 20 cuts?

_____= _____

_____=

10. Use your rule (equation) to determine how many ballots Chen would have if he made 30 cuts?

11. How many cuts would it take to make enough ballots for all 500 students in Chen's school? ______

Explain how you determined this answer.

12. Graph the relationship using an interval of 1 on the x-axis and 50 on the y-axis.

Number of Cuts	Number of Ballots
0	1
1	2
2	4
3	
4	


<u> </u>			 		 	
<u> </u>			 		 	
⊢	<u> </u>		 	<u> </u>	 <u> </u>	
<u> </u>						\vdash
<u> </u>			 		 	\vdash
<u> </u>			 		 	
<u> </u>			 		 	
						\vdash
						\vdash

When you found the number of ballots after 10, 20 and 30 cuts, you may have multiplied a long string of 2s. Instead of writing long product strings of the same factor, you can use the <u>exponential form</u>. For example, you can write $2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2$ as 2^5 , which is read as "2 to the fifth power."

In the expression 2^5 , you get $2^5 = 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 = 32$. We say that 32 is the standard form for 2^5 .

13. Write each expression in exponential form.

- a) 2 · 2 · 2 _____
- b) 5 · 5 · 5 · 5 _____
- c) 1.5 · 1.5 · 1.5 · 1.5 · 1.5 · 1.5 · 1.5 _____



14. Write each expression in standard form.

- a) 2⁵ _____
- b) 3³ _____
- c) 4⁴ _____

15. Most calculators have a \land or y^x key for evaluating exponents. Use your calculator to find the standard form for each expression.

- a) 2¹⁵ _____
- b) 3¹⁰ _____
- c) 1.5²⁰_____

16. Explain how the meanings of 5², 2⁵, 2 \cdot 5 and 5 \cdot 2 differ.

Write each expression in exponential form.

17. 2 * 2 * 2 * 2 _____

18. 10 · 10 · 10 · 10 · 10 · 10 _____

19. 2.5 * 2.5 * 2.5 * 2.5 * 2.5

Write each expression in standard form.

20. 2¹⁰ _____ 21. 10² _____ 22. 3⁹ _____

Bacteria Growth

If you don't brush your teeth regularly, it won't take long for large colonies of bacteria to grow in your mouth. Suppose that a single bacterium lands on one of your teeth and starts reproducing by a factor of four every hour. (multiplies by four every hour)

b = the number of bacteria n = the number of hours Equation: $\mathbf{b} = \mathbf{4}^n$

1. Complete the table and graph for the relationship. Use an interval of 1 on the x-axis and 50 on the y-axis.


	-		-				
<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>	
	_	_	_		_		
<u> </u>							

2. Use the equation to find how many bacteria will be in the new colony after 12 hours?

3. How many bacteria will be in the new colony after 13 hours? ______ Explain how you can use your answer from #2 instead of using your equation.

4.	. After how many hours will there be at least 1 million bacteria in the colony ?	
	(Use guess and check to find your answer.)	

Using a graphing calculator to complete the table and graph each of the following functions in a standard window.



Growing, Growing, Growing: Investigation 2

1. Ghost Lake is a popular site for fisherman, campers, and boaters. In recent years, a certain water plant has been growing on the lake at an alarming rate. The surface area of Ghost Lake is 25,000,000 square feet. At present, 1,000 square feet are covered by the plant. The Dept. of Natural Resources estimates that the area is doubling every month.




A) 1. Explain what information the variables and numbers in your equation represent.


Numbers:_____

Variables: _____

- Write an equation that represents the growth pattern of the plant on Ghost Lake. (Let *m* = # of months and *a* = the plant area)
- 3. How does this compare to the equation for yesterday's bacteria growth problem?

B) Make a table and a graph of the equation. (Use x-intervals of 1 and y-intervals of 1,000.)






C) How much of the lake's surface will be covered with the water plant by the end of a year? (Show your work.)

D) In how many months will the plant completely cover the surface of the lake?

2. Loon Lake has a "killer plant" problem similar to Ghost Lake. Currently, 5,000 square feet of the lake is covered with the plant. The area covered is growing by a factor of 1.5 each year.

a) Complete the table and graph to show the area covered by the plant for the next 5 years. (Use intervals of 1 for the x-axis and 1,000 for the y-axis.)





 b) Write an equation that represents the growth pattern of the plant on Loon Lake. (Let t = # of years and a = the plant area)

c) The surface area of the lake is approximately 200,000 square feet. How long will it take before the lake is completely covered?

3. In parts of the U.S., wolves are being reintroduced to wilderness areas where they have become extinct. Suppose 20 wolves were released in Northern Michigan, and the yearly growth factor for this population is expected to be 1.2.



a) Make a table showing the projected number of wolves at the end of each of the first 6 years.

b) Write an equation that models the growth pattern of the wolf population.

c) How long will it take for the new population to exceed 100?

4. Fruit flies are often used in genetic experiments because they reproduce at a phenomenal rate. In 12 days, a pair of *Drosophila* can mature and produce a new generation of fruit flies. The table below shows the number of fruit flies in three generations of a laboratory colony.

Generation		1	2	3		- Sta	
# of Flies	2	120	7200	432,000			
a) What is the growth factor for this fruit-fly population?							
Show how yo	ou found th	ne answei	ſ.				

b) Write an equation that models this situation.

600

500

400

300

200

Number of Snakes

If this pattern continues, how many fruit flies will there be in the fifth generation?

Growth of Garter Snake Population

5) The graph shows the growth of a garter snake population after it was introduced to a new area. The population is growing exponentially.

A) 1. Find the snake population for year 2

year 3 ______

year 4	

2. Use the pattern in your answer from part 1 to estimate the population in year 1 _____

3. Find the growth factor for the population.

4. Show how you can find the y-intercept for the graph.

C) Write an equation relating time *t* in years and population *p*. Explain what information the numbers in the equation represent.

D) In what year is the population likely to reach 1,500?

6) Leaping Leonora just signed a contract with a women's basketball team. The contract guarantees her \$20,000 the first year, \$40,000 the second year, \$80,000 the third year, \$160,000 the fourth year, and so on, for 10 years.

a) Describe the growth pattern in Leonora's salary.


b) Make a table showing Leonora's salary each year of this contract.

Year	Yearly Salary	Total Earned

This third column should help you to answer question c...look for a pattern.



- d) What total amount will Leonora earn over the entire 10 years?
- e)
- 6. The following graph represents the population growth of a certain kind of lizard.



- a) What information does the point (2,40) on the graph tell you?
- b) What information does the point (1,20) on the graph tell you?
- c) What is the growth factor of the population? (Show your work.)

d) What was the initial population? _____

e) Write an equation relating time t in years and population .

f) When will the population exceed 100 lizards?

a) When will the population avaged 600 lizerde?

Linear and Exponential Comparison

Linear Equati	$\underbrace{\frac{\text{ons}}{y = mx + b}}_{y = mx + b}$		Exponentia	al Equations $y = a^{2}$	x *(b)	
Rate or slope (Pattern: # you as x values ind	u <u>add</u> (wh	ntercept		ctor < you <u>multiply</u> increase)	y-intercept (where x = 0 or starting #)	«
7)						
Х	0	1	2	3		
У	2	6	18	54		
Growth factor: _		Y-intercept:	Equa	ation:		
8)						
Х	0	1	2	3		
У	4	40	400	4000		
Growth factor: _		Y-intercept:	Equa	ation:		
9)						
X	0	1	2	3		
У	7	28	112	448		
Growth factor: _		Y-intercept:	Equa	ation:		
10)						
X	0	1	2	3		
у		12	96	768		
Growth factor: _		Y-intercept:	Equa	ation:		


Growing, Growing, Growing Investigation 3.1 and Scientific Notation

3.1 Reproducing Rabbits

1. In 1859, a small number of rabbits were introduced to Australia by English settlers. The rabbits had no natural predators in Australia, so they reproduced rapidly and became a serious problem, eating grasses intended for sheep and cattle.

If biologists had counted the rabbits in Australia in the years after they were introduced, they might have collected data like these:

A. The table shows the rabbit population growing exponentially.



1. What is the growth factor?	Show how you found your answer

2. Assume the growth pattern continued. Write an equation for the rabbit population, *p*, for any year, *n*, after the rabbits were first introduced. Explain what the numbers in your equation represent.

3. How many rabbits will there be in 10 years? _____


How many will there be after 25 years? _____ After 50 years? _____

4. After how many years will the rabbit population exceed one million? ______

B. Suppose that during a different time period, the rabbit population could be predicted by the equation $p = 15 (1.2^n)$, where p is the population in millions, and n is the number of years.

1. What is the growth factor? ______2. What is the initial population? _____

 The table shows that the elk population in a state forest is growing exponentially. 	Growth of Elk Population			
loroot lo growing oxponontially.	Time (yr)	Populatio		
a. What is the growth factor?	0	30		
Chave how you get your onewer	1	57		
Show how you got your answer	2	108		
b. Suppose that this growth patterns continues.	3	206		
	4	391		
How many elk will there be in 10 years?15 years?	5	743		



d. After how many years will the elk population exceed one million?

3. As a biology experiment, Amanda is studying the growth of a beetle population. She starts her experiment with 5 beetles. The next month she counts 15 beetles. $\gamma_{\rm scale}$

a. Suppose the population is growing **linearly**. What is the <u>pattern</u> in the population from one month to the next?

b. Suppose the population is growing **linearly**. Complete the table.

# of Beetles	١٩
	ິເ
	# of Beetles

c. Write an equation for the number of beetles, *b*, after *m* months if the beetle population is growing **linearly**.

d. How long will it take the population to reach 200 if it is growing **linearly**?

e. Suppose the population is growing exponentially.
 What is the <u>pattern</u> in the population from one month to the next?

f. Suppose the population is growing **exponentially**. Complete the table.

f Months # of Beetles	5 🖉
0	
1	0
2	
3	
4	

g. Write an equation for the number of beetles, *b*, after *m* months if the beetle population is growing **exponentially**.

h. How long will it take the population to reach 200 if it is growing **exponentially**?

4. Each table shows exponential growth or a linear relationship. Complete each table. Fill in the blanks.

9

Table A							
t	0		1	2	2	3	4
m	8	2	24	7	2	216	
Linear or expon	ential?			Ec	uation:		
Table B							
t	0		1	2	2	3	4
р	15	1	8	2	1	24	
Linear or exponential?				Ec	quation:		
n	0	1		2	3	4	10
а	5	7.5	11	1.25	16.88		
Linear or expo	Linear or exponential?			Ec	quation:		
Table D							
S	0	1	2		3	4	20
m		8.5	6		3.5		
Linear or expo	nential?			Ec	quation:		

Scientific Notation and Standard Form (Decimal Notation) Notes

- By using exponents, we can reformat numbers. For very large or very small numbers, it is sometimes simpler to use "scientific notation" (so called, because scientists often deal with very large and very small numbers).
- The format for writing a number in scientific notation is fairly simple: (first digit of the number) followed by (the decimal point) and then (all the rest of the digits of the number), times (10 to an appropriate power). The conversion is fairly simple.

• Write 124 in scientific notation.

This is not a very large number, but it will work nicely for an example. To convert this to scientific notation, I first write "1.24". This is not the same number, but (1.24)(100) = 124 is, and $100 = 10^2$. Then, in scientific notation, 124 is written as 1.24×10^2 .

Actually, converting between "regular" notation and scientific notation is even simpler than I just showed; because all you really need to do is count decimal places.

• Write in decimal notation: 3.6 × 10¹²

Since the exponent on 10 is positive, I know they are looking for a LARGE number, so I'll need to move the decimal point to the right, in order to make the number LARGER. Since the exponent on 10 is "12", I'll need to move the decimal point twelve places over. First, I'll move the decimal point twelve places over. I make little loops when I count off the places, to keep track:

Then I fill in the loops with zeroes:

3.60000000000000000

In other words, the number is 3,600,000,000,000, or 3.6 trillion

• Convert 93,000,000 to scientific notation.

This is a large number, so the exponent on 10 will be positive. The first "interesting" digit in this number is the leading 9, so that's where the decimal point will need to go. To get from where it is to right after the 9, the decimal point will need to move seven places to the left. Then the power on 10 will be a positive 7, and the answer is 9.3×10^7

Scientific Notation and Standard Form (Decimal Notation) Practice

Write in standard form.

1) 4.0 x 10 ³	2) 4.5 x 10 ⁴	3) 6.5 x 10⁵	
4) 7.6 x 10 ²	5) 8 x 10 ³	6) 6.32 x 10 ⁷	
Write each number in scie	ntific notation.		
7) 465,000,000	8) 98,000,000,000	9) 373,000	
10) 697,000,000,000	11) 54,000,000	12) 24,340,000	
to three significant digits. <u>Scie</u>	luate the following. Write the ans entific notation	wer in scientific notation and standard form. F <u>Standard form</u>	≀ound
13) 7 ¹²			
14) 12 ¹⁵			
15) 4 ²⁴			
16) 18 ⁹			

Growing, Growing, Growing: Practice Inv. 1 - 3.1

Mold can spread rapidly. For example, the area covered by mold on a loaf of bread left out in warm weather grows exponentially. Students at Magnolia Middle School conducted an experiment. They set out a shallow pan containing a mixture of chicken bouillon (BOOL yahn), gelatin, and water. Each day, the students recorded the area of the mold in



The students wrote the exponential equation $m = 50(3^d)$ to model the growth of the mold. In this equation, *m* is the area of the mold in square millimeters after *d* days.

A. What is the area of the mold at the start of the experiment?

B. What is the growth factor?

square millimeters.

- **C.** What is the area of the mold after 5 days?
- **D.** On which day will the area of the mold reach $6,400 \text{ mm}^2$?
- **E.** An exponential equation can be written in the form $y = a(b^x)$, where *a* and *b* are constant values.
 - **1.** What value does *b* have in the mold equation? What does this value represent?
 - **2.** What value does *a* have in the mold equation? What does this value represent?
- 2. A population of mice has a growth factor of 3. After 1 month, there are 36 mice. After 2 months, there are 108 mice.
 - **a.** How many mice were in the population initially (at 0 months)?
 - **b.** Write an equation for the population after any number of months. Explain what information the numbers and variables in your equation represent.

c. Make a table showing the population of mice for the first 5 months.


d. Graph the population growth for 4 months. (Use interval of 1 on the x axis, 100 on the y axis.)




- 3. Fido did not have fleas when his owners took him to the kennel. The number of fleas on Fido after he returned from the kennel grew according to the equation $f = 8(3^n)$, where f is the number of fleas and n is the number of weeks since he returned from the kennel. (Fido left the kennel at week 0.)
- a. How many fleas did Fido pick up at the kennel? ____

4.

- b. What is the growth factor for the number of fleas? _
- c. How many fleas will Fido have after 10 weeks if he is not treated? _





- **b.** What are the *y*-intercepts for the graphs of Species X and Species Y? Explain what these *y*-intercepts tell you about the populations.
- **c.** Write an equation that describes the growth of Species X.
- **d.** Write an equation that describes the growth of Species Y.
- e. For which equation is (5, 1215) a solution?
- 5. **Multiple Choice** Choose the answer that best approximates 3²⁰ in scientific notation.

A. 3.5×10^{-9} **B.** 8×10^3 **C.** 3×10^9 **D.** 3.5×10^9

6. Multiple Choice Choose the answer that is closest to 2.575×10^6 . F. 2^{18} G. 12^6 H. 6^{12} J. 11^9

 Indicate whether each table is linear or exponential. Complete each table. Write an equation for each relationship.

 1) Linear or Exponential?
 Equation:


Х	0	1		2	3	4
У	10	25	6	62.5	156.25	
2) Linear or Exp	oonential?		Equation	:		
x	0	1	•	2	3	4
У	10	25		40	55	
3) Linear or Exp	conential?		Equation			
X	0	1	2	3	4	10
у	4	4.8	5.76	6.91	2	
4) Linear or Exp	oonential?		Equation	·		
х	0	1	2	3	4	20
У	50	60	70	80		
5) Linear or Exp	oonential?		Equation	·		
X	0	1	2	3	4	20
У		10	20	40		
4) 8.5 x 10 ⁶	ard form. nber in scientific	5) 5 x 10 ⁷			3) 3.121 x 10⁵ 6) 3.256 x 10 _	
7) 825,000,000)	8) 42,000	,000,000		9) 846,000,000_	
10) 156,000,00	0	11) 49,00	0,000,000		12) 29,450,000_	
Use your calcu to three signifi		e the following.	Write the answ	ver in scier	ntific notation and s	tandard form. Rounc
	<u>Scientifi</u>	<u>c notation</u>		<u>Star</u>	ndard form	
13) 8 ¹⁵						
14) 14 ¹⁶						
15) 6 ²⁰						_

16) 11¹²

Growing, Growing, Growing Investigation 3.2 and More Scientific Notation

3.2 Investing for the Future

The yearly growth factor for our rabbit population from Investigation 3.1 was 1.8. Suppose the population data fit the equation $P = 100(1.8)^n$ exactly. Then its table would look like the one below.



The growth factor of 1.8 is the number by which the population for year *n* is multiplied to get the population for the next year, n + 1. You can think of the growth factor in terms of a percent change. To find the percent change, compare the difference in population for two consecutive years, *n* and n + 1, with the population of year *n*.

• From year 0 to year 1, the percent change is $\frac{180-100}{100} = \frac{80}{100} = 80\%$.

The population of 100 rabbits in year 0 *increased* by 80%, resulting in 100 rabbits (80%) = 80 additional rabbits.

• From year 1 to year to the percent change is $\frac{324-180}{100} = \frac{144}{180} = 80\%$.

The population of 180 rabbits in year 1 *increased* by 80%, resulting in 180 rabbits(80%) = 144 additional rabbits.

The percent increase is called the *growth rate*. In some growth situations, the growth rate is given instead of the growth factor. For example, changes in the value of investments are often expressed as percents.

PROBLEM 3.2

When Sam was in 7th grade, his aunt gave him a stamp collection worth \$2500. Sam considered selling the collection, but his aunt told him that, if he saved it, it would increase in value.

- A. Sam saved the collection, and its value increased by 6% each year for several years in a row.
- 1. Make a table showing the value of the collection each year for the five years after Sam's aunt gave it to him. (round to nearest dollar.)



Sam's Stamp Collection at 6%

Year	Value
0	\$2,500
1	
2	
3	
4	
5	



2. Look at the pattern of growth from one year to the next. Is the value growing exponentially?

3. Write an equation for the value v of the collection after n years.

- **B**. Suppose the value of the stamps increased by 4% each year instead of by 6%.
- Make a table showing the value of the collection each year for the five years after Sam's aunt gave it to him. (round to nearest dollar.)
 Sam's Stamp Collection at 4%

		Year	Value	
		0	\$2,500	
		1		
		2		
		3		
		4		
		5		
2.	What is the growth factor from one yea	ir to the next?		
3.	Write an equation for the value v of the	e collection after	r <i>n</i> years	
C .	1. Find the growth factor associated	with each growt	h rate.	
a)	5% b) 1	5%	c)	30%
d)	75% e) 1	00%	f)	150%
	2. How can you find the growth factor	if you know the	e growth rate?	
D.	1. Find the growth rate associated wit	h each growth f	actor.	
a)	1.5 b) 1	.06	c)	1.1
d)	1.05 e) 1	.25	f)	1.8
	2. How can you find the growth rate if	you know the	prowth factor?	
<u>Hc</u>	mework:			
	Maya's grandfather opened a saving a 00 and did not add or take out any mon ar.			

a. Make a table to show the amount in the account from the time Maya was born until she turned 10 (Round to the nearest dollar.)

AGE						
VALUE						

b. What is the growth factor for the account?

c. Write an equation for the value of the account after any number of years.

 Currently, 1,000 students attend Greenville Middle School. The school can accommodate 1,300 students. The school board estimates that the student population will grow by 5% per year for the next several years.
 a. In how many years will the population outgrow the present building?

b. Suppose the school limits its growth to 50 students per year. Write an equation to model this situation.

How many years will it take for the population to outgrow the school? (Show your work.)



3. Suppose that, for several years, the number of radios sold in the U.S. increased by 3% per year.

a. Supposed one million radios sold in the first year of this time period. Make a table showing about how many radios would be sold in each of the next 6 years. b. Suppose only 100,000 radios sold in the first year. About how many radios sold in each of the next six years?



Year	Radios Sold

Year	Radios Sold

4. Find the growth rate associated with the given growth factor.

a. 1.4	b. 1.09	c. 1.75
d. 1.02	e. 1.85	f. 1.7

5. Find the growth factor associated with the given rate.

a.	45%	b. 90%	c. 3%
d.	20%	e. 15%	f. 4%

Scientific Notation and Standard Form (Decimal Notation) Notes

- By using exponents, we can reformat numbers. For very large or very small numbers, it is sometimes simpler to use "scientific notation" (so called, because scientists often deal with very large and very small numbers).
- The format for writing a number in scientific notation is fairly simple: (first digit of the number) followed by (the decimal point) and then (all the rest of the digits of the number), times (10 to an appropriate power). The conversion is fairly simple.

• Write 0.000 000 000 043 6 in scientific notation.

In scientific notation, the number part (as opposed to the ten-to-a-power part) will be "4.36". So I will count how many places the decimal point has to move to get from where it is now to where it needs to be:

0.0000000000436

Then the power on 10 has to be -11: "eleven", because that's how many places the decimal point needs to be moved, and "negative", because I'm dealing with a SMALL number. So, in scientific notation, the number is written as 4.36×10^{-11}

• Convert 4.2×10^{-7} to decimal notation.

Since the exponent on 10 is negative, I am looking for a small number. Since the exponent is a seven, I will be moving the decimal point seven places. Since I need to move the point to get a *small* number, I'll be moving it to the left. The answer is **0.000 000 42**

<u>Convert 0.000 000 005 78 to scientific notation.</u>

This is a small number, so the exponent on 10 will be negative. The first "interesting" digit in this number is the 5, so that's where the decimal point will need to go. To get from where it is to right after the 5, the decimal point will need to move nine places to the right. Then the power on 10 will be a negative 9, and the answer is 5.78×10^{-9}

Just remember: However many spaces you moved the decimal, that's the power on 10. If you have a small number (smaller than 1, in absolute value), then the power is negative; if it's a large number (bigger than 1, in absolute value), then the exponent is positive.

Warning: A negative on an exponent and a negative on a number mean two very different things! For instance:

 $-0.00036 = -3.6 \times 10^{-4}$ $0.00036 = 3.6 \times 10^{-4}$ $36,000 = 3.6 \times 10^{4}$ $-36,000 = -3.6 \times 10^{4}$

Don't confuse these!

Write in standard form.

1) 4.82 x 10 ⁻⁵	2) 2.6 x 10 ⁻⁷	3) 1.79 x 10 ⁻⁴
4) 5.28 x 10 ⁵	5) 7 x 10 ⁸	6) 6.12 x 10 ⁶
Write each number in scientific nota	tion.	
7) 0.000 000 000 52	8) 0.000 000 041	9) 0.000 000 398
10) 578,000,000	11) 38,000,000,000	12) 219,000

<u>Use your calculator</u> to evaluate the following. Write the answer in scientific notation and standard form. **Round** to three significant digits.

	Scientific notation	Standard form
13) 5 ⁻¹¹		
14) 9 ⁻¹²		
15) 8 ⁻¹⁵		
16) 5 ²⁰		
17) 9 ¹¹		
18) 10 ¹²		

Indicate whether each table is linear or exponential. Complete each table. Write an equation for each relationship.

 Linear or Exponential? 			Equatior	1:			
x	0	1		2	3	4	
	-	•			-	4	
У	6	7.5		9	10.5		
2) Linear or E	xponential?		Equatior	1:			
X	0	1		2	3	4	
у	8	12		18	27		
3) Linear or Exponential? Equation:							
x	0	1	2	3	4	10	
У	9	17.1	32.49	61.731			
4) Linear or E	exponential?		Equation	1:			
X	0	1	2	3	4	20	
у	4	6.8	9.6	12.4			
5) Linear or Exponential? Equation:							
x	0	1	2	3	4	20	
У		7	24.5	85.75			

Growing, Growing, Growing Investigation 3.3

3.3 Making a Difference

In Problem 3.2, the value of Sam's stamp collection increased by the same percent each year. However, each year, this percent was applied to the previous year's value. So, for example, the increase from year 1 to year 2 is 6% of \$2,650, not 6% of the original \$2,500. This type of change is called **compound growth**.

In the next problem, you will continue to explore compound growth. You will consider the effects of both the initial value and the growth factor on the value of an investment.

Connecting Growth Factor and Growth Rate

Cassie's grandmother started college funds for her two granddaughters. She

gave \$1,250 to Cassie and \$2,500 to Cassie's older sister, Kaylie. Each fund

was invested in a 10-year bond that pays 4% interest a year.

A. For each fund, write an equation to show the relationship between the number of years, *n*, and the amount of money in the fund, *m*.

Cassie: _____

Kaylie: _____

b. Make a table to show the amount in each fund for 0 to 10 years.

Number of Years	in Funds	
	Cassie's Account	Kaylie's Account

C. 1. How does the initial value of the fund affect the yearly increase in value?

2. How does the initial value affect the growth factor? _____

How does the initial value affect the final value? _____





D. A year later, Cassie's grandmother started a fund for Cassie's younger brother, Matt. Cassie made this calculation to predict the value of Matt's fund several years from now:

Value = \$2000 * 1.05 * 1.05 * 1.05 * 1.05

1. What is the initial value? _____ growth factor? _____

growth rate? _____ Number of years that Cassie is assuming? _____

2. Write an equation to predict the value, v, of Matt's fund given n number of years.

3. If the value continues to increase at this rate, how much would the fund be worth in 10 years? (Show your work.)

On Your Own:

1. Tanner made the following calculations to predict the value of his baseball card collection several years from now:

value = \$130 * 1.07 * 1.07 * 1.07 * 1.07 * 1.07

a. What is the initial value? _____ growth factor? _____

growth rate? _____ Number of years that Tanner is assuming? _____

- b. Write an equation to predict the value, v, of Tanner's cards given n number of years.
- 3. If the value continues to increase at this rate, how much would the cards be worth in 10 years? (Show your work.)
- 2. Multiple Choice Ms. Diaz wants to invest \$500 in a savings bond. At which bank would her investment grow the most over 8 years?
 - F. Bank 1:7% interest for 8 years.
 - **G.** Bank 2:2% interest for the first 4 years and 12% interest for the next four years.
 - H. Bank 3: 12% interest for the first 4 years and 2% interest for the next four years.
 - J. All three result in the same growth.

- 25 -

Part 3	Scientific Notation
Write i	n standard form.

1) 1.91 x 10 ⁻⁵	2) 3.1 x 10 ⁷	3) 8.46 x 10 ⁸
4) 9.182 x 10 ⁵	5) 7.2 x 10 ⁻⁸	6) 1.97 x 10 ⁻⁶
Write each number in scientific nota	tion.	
7) 0.000 000 027	8) 79,000,000,000	9) 0.000 000 398
10) 123,100,000	11) 0.000 000 05	12) 0.000 000 018

Use your calculator to evaluate the following. Write the answer in scientific notation and standard form. Round to three significant digits.

	Scientific no	<u>tation</u>		Standard form	
13) 7 ⁻¹¹					
14) 8 ¹²			_		
15) 5 ⁻¹⁵					
16) 6 ⁻¹⁰					
17) 9 ¹¹					
18) 12 ⁻⁸					
Part 4: Each table sh a)	-	-	-	1	r
1	0	4	0	2	1

ω)								
t	0	1	2	3	4			
m	6	7.8	10.14	13.18	17.14			
Growth factor: Original #:								
Equation:			Percent of change	(growth rate):				
			C C					
b)								
t	0	1	2	3	4			
р	15	28.5	54.15	102.89	195.48			
Growth factor:	Growth factor: Original #:							
Equation:	n: Percent of change (growth rate):							

- 26 -


c)						
n	0	1	2	3	4	10
а	10	14	19.6			
Growth factor:		-	Original #	£:		
Equation:			Percent c	of change (grow	/th rate):	
d)						
S	0	1	2	3	4	20
m		11	11.22	11.4444	11.673	
Growth factor:		-	Original #	<u>+:</u>		
Equation: e)			Percent c	of change (grow	/th rate):	
t	0	1		2	3	4
m						
Growth factor:		-	Original #	<u>t: 8</u>		
Equation:			Percent c	of change (grow	/th rate):	10%
_f)						
t	0	1		2	3	4
р						
Growth factor:	<u>1.5</u>		Original #	t: <u>12</u>		
Equation:			Percent c	of change (grow	/th rate):	
_g)						
n	0	1	2	3	4	10
а						
Growth factor:	1.05		Original #	<u>± 200</u>		
Equation:			Percent c	of change (grow	/th rate):	
h)						
t	0	1		2	3	4
р						
Growth factor: Original #: <u>40</u>						
Equation:		Percent of change (growth rate): 2.5%				2.5%
_i)						
n	0	1	2	3	4	10
а						
Growth factor:		-	Original #	!: <u>1</u>		
Equation:			Percent c	of change (grow	/th rate):	<u>150%</u>

Growing, Growing, Growing Investigation 4

Exponential Decay...Introduction

1) Size of the Ballots

In Problem 1.1, you read about ballots Chen, the secretary of the SGA, is making for a meeting. Recall that Chen cuts a sheet of paper in half, stacks the two pieces and cuts them in half, stacks the resulting four pieces and cuts then in half, and so on.



You investigated the pattern in the number of ballots created by each cut. In this problem, you will look at the pattern in the areas of the ballots.

A. The paper Chen starts with has an area of 64 square inches. Complete the table to show the area of a ballot after each of the first 10 cuts.

B. How does the area of a ballot change with each cut?

C. Write an equation for the area, *A*, of a ballot after any cut, *n*.

D. How is the pattern of change in the area different from the exponential growth patterns you studied? How is it similar?


#of Cuts	Area (in ²)
0	64
1	32
2	
3	
4	
5	
6	
7	
8	
9	
10	

E. Make a graph of the first 7 cuts. Use an interval of 1 on the x-axis and 5 on the y-axis.

Exponential patterns like this, in which a quantity decreases at each stage, show **exponential decay**. The factor the quantity is multiplied by at each stage is called a **decay factor**. A decay factor is always less than 1, but greater than zero. In this ballot problem, the decay factor is $\frac{1}{2}$.

2) Fighting Fleas

After an animal receives a preventive flea medicine, the medicine breaks down in the animal's bloodstream. With each hour, there is less medicine in the blood. The table and graph show the amount of medicine in a dog's bloodstream each hour for 6 hours after receiving a 400-milligram dose.



Time Since Dose (hr)	Active Medicine in Blood (mg)	
0	400	
1	100	
2	25	
3	6.25	
4	1.5625	
5	0.3907	
6	0.0977	

Breakdown of Medicine



Study the pattern of change in the graph and the table.

1. How does the amount of active medicine in the dog's blood change from one hour to the next?

2. What is the decay factor? (Show your work.)

What is the original amount?

3. Write an equation to model the relationship between the number of hours, *h*, since the dose is given and the milligrams of active medicine, *m*.

4. How is the graph for this problem similar to the graph you made in the "Ballot Area" problem?

3) Tables to Equations Complete each table. State the decay factor, the original # (y-intercept), and write the equation.

A)	X	0	1		2	3	4
	у	100	60	3	6	21.6	
	Decay	factor:	Original	#:	_ E	quation:	
B)	X	0	1	2	3	4	10
	у	250	50	10			
	Decay	factor:	Original	#:	_ E	quation:	
C)	X	0	1	2	3	4	10
	у	40	8	1.6			
	Decay	factor:	Original	#:	_ E	quation:	

On your own....

1) Andrea has a 24-inch string of licorice to share with her friends. As each friend asks her for a piece, Andrea gives him or her half of what she has left. She doesn't eat any of the licorice herself.

a. Make a table and a graph showing the length of licorice Andrea has left each time she gives a piece away. (Use an interval of 1 on the x-axis and 2 on the y-axis.)

# of Friends	Length of Licorice
0	24
1	
2	
3	
4	
5	
6	

b. Suppose that, instead of half the licorice that is left each time, Andrea gives each fried 4 inches of licorice. Make a table and a graph showing the length of licorice Andrea has let each time she gives a piece away. (Use an interval of 1 on the x-axis and 2 on the y-axis.)

# of Friends	Length of Licorice
0	24
1	
2	
3	
4	
5	
6	



1	 		

c. Compare the tables and the graphs for the two situations. Explain the similarities and differences.

2. Penicillin decays exponentially in the human body. Suppose you receive a 300-mg dose of penicillin to combat strep throat. About 180 mg will remain active in your blood after 1 day.

a. Assume the amount of penicillin active in your blood decreases exponentially. Make a table showing the amount of active penicillin in your blood for 7 days after a 300 mg dose.

Time Since Dose(days)	Active Medicine in Blood (mg)
0	
1	
2	
3	
4	
5	
6	
7	


b. Write an equation for the relationship between the number of days, d, since you took the penicillin and the amount of medicine, m, remaining active in your blood.


c. What would be the equation if you had taken a 400-mg dose?

3. The graph toward the right shows an exponential decay relationship.

a. What is the decay factor? _____

- b. What is the y-intercept? _____
- c. Write the equation for the graph.





4. A cricket is on the 0 point of a number line, hopping toward 1. She covers half the distance form her current location to 1 with each hop. So, she will be at $\frac{1}{2}$ after one hop, $\frac{3}{4}$ after two hops, and so on.

a. Make a table showing the cricket's location for the first 10 hops.

Hop	0	1	2	3	4	5	6	7	8	9	10
Location											

b. Where will the cricket be after *n* hops?

c. Will the cricket ever get to 1? Explain.

5. Tables to Equations Complete each exponential table. State the decay factor or growth factor, the original # (y-intercept), and write the equation.

1 120	2 0.9 nal #: 2 72 nal #: 2 101.4	3 0.09 Equation: 3 43.2 Equation: 3 263.64	10
1 120 Origin 1 39	2 72 nal #: 2	3 43.2 Equation:	10
1 120 Origin 1 39	2 72 nal #: 2	3 43.2 Equation:	10
1 120 Origin 1 39	2 72 nal #: 2	3 43.2 Equation:	10
120 Origin 	72 nal #: 2	43.2 Equation:	
Origin 	nal #: 2	Equation: 3	
<u>1</u> 39	2	3	
<u>1</u> 39	2	3	
<u>1</u> 39	2	3	
39			10
39			10
39		263.64	
Origir			
Origin			
011911	nal #:	Equation:	
1	2	3	10
59.5		4298.875	
Origin	nal #:	Equation:	
1	2	3	10
24	9.6	3.84	
Orıgır	nal #:	Equation:	
1		3	10
1.5	3.75		
Origin	nal #:	Equation:	
0		1	
1	2	3	10
0.3	0.18		
	Origin Origin Origin Origin Origin 1 Origin 1 1 1	59.5 505.75 Original #: 1 2 24 9.6 Original #: 1 2 1.5 3.75 Original #: 1 2 1.5 3.75 Original #: 1 2	59.5 505.75 4298.875 $$ Original #: Equation: 1 2 3 24 9.6 3.84 $$ Original #: Equation: 1 2 3 1.5 3.75 Equation: 1.5 3.75 Equation: 1.5 3.75 3.75 $$ Original #: Equation: 1 2 3

- 31 -